

# ΡΙΧ

The stylish PIX range is a collection of delicate, round sockets and connection units that can be used in many different ways – in the office, kitchen, public lounges or at home.

When used alone or in your chosen combination, the decorative rings are available in various colours and interchangeable. An ingenious, swivel-mounted lid, providing protection from dust and dirt, is available as an option for PIX and can also be retrofitted.

With its round, flat shape and minimalist appearance, the PIX meets design requirements exactly where you need it.

# BENEFITS

.....

- Can be integrated on its own or in your chosen combination
- Replaceable, coloured decorative rings
- Small mounting diameter of 56 mm
- With swivel-mounted lid as an option
- Simple mounting from above; subsequent mounting also possible
- Integrated water run-off



## **PIX power strips**


#### Material: Plastic

- Mounting depth without cable: 45 mm
- Tabletop thickness: 10 40 mm

#	$\odot$		$\odot$	<b></b>	С	$\longleftrightarrow$		$\bigcirc$
2 decorative	rings (bla	ck, similar	to RAL900	5 and white	e, similar to	RAL9010)   Power input: 0.2 m cable with GST18i3	926.000	
926.000	1					50 x 68 mm		$\cap$
926.002			1			50 x 68 mm	( )	
926.004				1 (T13)		50 x 68 mm	926.002	
926.010					1	50 x 68 mm		
With 3 decorative rings (black, similar to RAL9005, white, similar to RAL9010 and stainless steel look)   Power input: 2.0 m cable with ferrules and mounting plug, included								
926.001	1					50 x 68 mm	926.010	
926.003			1			50 x 68 mm		6
926.005				1 (T13)		50 x 68 mm	$\mathbf{C}$	
With 3 decorative rings (black, similar to RAL9005, white, similar to RAL9010 and stainless steel look)   Power input: 2.0 m cable with mounted UK plug						926.007		
926.007		1				50 x 68 mm		

# Compact design and low mounting depth

 $\uparrow$  ensure space-saving installation.





Dimensions in mm

For suitable device supply cables, see page 62 onwards.

For flush mounted **Custom Modules**, see page 193 onwards. Please observe the compatibility table starting on page 193.



### **PIX lid set**

- Swivelling lid with matching decorative ring incl. covers for all countries and connection variants
- Material: Plastic

#		
926.100	Stainless steel look	
926.101	Black (similar to RAL9005)	$\land \cap O$
926.102	White (similar to RAL9010)	
		926.100

## **PIX decorative ring sets**

Material: Plastic

#		800			
Classic		926.200			
926.200	Set of 5 coloured decorative rings: In yellow (similar to RAL1028), green (similar to RAL6018), pink (similar to RAL4003), red (similar to RAL3020), blue (similar to RAL5015)				
Stainless steel look					
926.206	25 decorative rings in stainless steel look	926.206			
Stainless steel, black, white					
926.207	Set of 30 decorative rings in stainless steel look (packaging unit 10 pieces), black (similar to RAL9005, packaging unit 10 pieces), white (similar to RAL9010, packaging unit 10 pieces)				

## Accessories

#	H	
Hole saw		918.900
918.900	Mounting tool for hole saw with centre drill	
Hole saw   F	or installing DUE/PIX	
926.901	In wood/plastic   Cutting depth up to 44 mm   56 mm diameter	
PIX holder	Mount to furniture without cut-outs	
926.501	PIX HOLDER 1-way	
926.502	PIX HOLDER 2-way	



PIX decorative rings available in eight colour variants





Pictograms and their meanings can be found on page 315. www.bachma