



Intelligent living –
all packaged into
a timeless, modern
design

SMART Adapter

Cable tangle behind TV? Get rid of this clutter now and let lifestyle, comfort and digitisation move into your home by installing SMART Adapter. The devices are easy and fast to install and let you control your technical appliances intelligently.

The new SMART Adapter series offers convenience and safety in response to your demand for intelligent living – all packed into a timeless, modern design. The SMART Adapters offer greater security for your entertainment electronics and allow electrical consumers to be easily and remotely switched using a smartphone or remote control – and end devices to be charged with USB standard.

BENEFITS

- **Easy to set up and operate**
- **Added safety due to overvoltage protection**
- **USB charger with 3.4A total charging current**
- **Great convenience and flexibility**
- **Compatible of 433MHz radio and 2.4 GHz Wi-Fi**
- **Save energy by preventing electronic equipment running unnecessarily in standby mode**

**BACH
MANN**



WiFi

**Adapter plug with integrated WiFi radio
remote switch, IP20**
Article number: 919.023

- 1 x earthing contact plug on socket outlet with earthing contact (type F/E CEE 7/7 on 7/3)
- Switching capacity max. 16A/230V~, single-pole switching with indicator LED, manually switchable
- WiFi 2.4GHz, IEEE 802.11 b/g/n, bidirectional, functional range within the WiFi network
- Switchable using mobile app for iOS and Android, even when on the road
- Additional gateway for Radio SMART Adapter (919.021, 919.022) and SMART Power strip (381.800)



Radio 433 MHz

**Adapter plug with integrated radio
remote switch, IP20**
Article number: 919.021

- 1 x earthing contact plug on socket outlet with earthing contact (type F/E CEE 7/7 on 7/3)
- Switching capacity max. 10A/230V~, single-pole switching with indicator LED, manually switchable
- 433.92 MHz, unidirectional, radio range 30m outdoors
- Switchable using remote control 919.027
- Switchable using mobile app for iOS and Android with Wi-Fi Adapter (919.023) as a Gateway



Radio 433 MHz | Outdoor

**Adapter plug with integrated radio
remote switch, IP44**
Article number: 919.022

- 1 x earthing contact plug on socket outlet with earthing contact (type F/E CEE 7/7 on 7/3)
- Switching capacity max. 10A/230V~, single-pole switching with indicator LED, manually switchable
- 433.92 MHz, unidirectional, radio range 30m outdoors
- Switchable using remote control 919.027
- Switchable using mobile app for iOS and Android with Wi-Fi Adapter (919.023) as a Gateway





USB

**Adapter plug with integrated 2-way
USB charger, IP20**
Article number: 919.024

- 1 x earthing contact plug on socket outlet with earthing contact (type F/E CEE 7/7 on 7/3)
- Total charging current for USB charger: max. 3.4 A/5 V~ (1.7 A per port)



Overvoltage protection

**Adapter plug with integrated overvoltage
protection, 16 A/230 V~, IP20**
Article number: 919.025

- 1 x earthing contact plug on socket outlet with earthing contact (type F/E CEE 7/4 on 7/3)
- With function and mains voltage LED
- SPD type 3 as per EN 61643-11:2011/IEC 61643-1:2011
- Up: L-N: 2.0 kV; L/N-PE: 1.5 kV, Uoc 6 kV, UC 255 VAC, IL 16 A, Ip 6.5 kA, Isc 1.5 kA, Ta < 25 ns




Radio remote control

**For remotely controlling
Radio SMART products**
Article number: 919.027



- Operated with replaceable battery CR2032/3V
- 433.92 MHz, unidirectional, radio range 30m free field
- 3 channels ON/OFF with 1 x Radio SMART Adapter
- Switches Radio SMART Adapter und Radio SMART Power strip





BACHMANN SMART APP

Control your BACHMANN SMART adapter products with your smartphone or tablet.



Features:

- Turn adapter on/off
- Set various scenes
- Timer, countdown and absence mode
- Accessible in the entire WiFi network
- For SMART Adapter WiFi (919.023)
- For Radio SMART Adapter (919.021, 919.022) und Radio Power strip (381.800) with SMART Adapter WiFi as a Gateway

Available for iOS and Android.



 **More information** can be found in our complete catalogue and on www.bachmann.com